

IN THE CLAIMS:

Please cancel Claims 1-3 and 5-8 without prejudice to or disclaimer of the subject matter presented therein.

Please amend Claims 15-21 and add new Claims 22-26 as follows.

1. - 3. (Cancelled)

4. (Cancelled)

5. - 8. (Cancelled)

9. - 14. (Cancelled)

15. (Currently Amended) A mixed reality space image generation method for generating a mixed reality space image which makes a player experience mixed reality by mixing a real space in which markers serving as position indices are laid out, and a virtual space, comprising:

a marker detection step of detecting the markers from image data obtained by sensing the real space from a substantially viewpoint position of the player;

a correcting step of correcting location/~~posture~~ orientation information of the player based on the markers detected by said marker detection step; and

a mixed reality space image generation step of generating a mixed reality space image to be observed by the player, so the player observes virtual object images that do not

include any images of the markers in ~~marker~~ surrounding regions (marker regions)  
including the markers ~~from~~ in the image data,

wherein ~~said~~ the mixed reality space image generation step includes a step of substituting or overlaying images of the marker regions by predetermined virtual object images.

16. (Currently Amended) A mixed reality space image generation method for generating a mixed reality space image which makes a player experience mixed reality by mixing a real space in which markers serving as position indices are laid out, and a virtual space, comprising:

a marker detection step of detecting the markers from image data obtained by sensing the real space from a substantially viewpoint position of the player;

a correcting step of correcting location/~~posture~~ orientation information of the player based on the markers detected by ~~said~~ the marker detection step; and

a mixed reality space image generation step of generating a mixed reality space image to be observed by the player, so the player observes virtual object images that do not include any images of the markers in ~~marker~~ surrounding regions (marker regions) including the markers from the image data,

wherein ~~said~~ the mixed reality space image generation step includes a step of substituting or overlaying an image of a region including all the markers in the image data ~~with~~ by a predetermined virtual object ~~images~~ image.

17. (Currently Amended) The method according to claim 15, wherein the predetermined virtual ~~object~~ objects are images ~~are images~~ of plane patches with the same or similar texture, size, location and ~~posture~~ orientation of ~~the~~ respective marker regions before the markers are laid out.

18. (Currently Amended) A computer readable storage medium that stores a program which can be executed by a computer, ~~said program~~ making the computer ~~perform the steps of which executes the program function as:~~

[[a]] marker detection ~~step of means for~~ detecting the markers, ~~serving as position indices,~~ from image data obtained by sensing [[a]] the real space from a substantially viewpoint position of [[a]] the player;

[[a]] correcting ~~step of means for~~ correcting location/~~posture~~ orientation information of the player based on the markers detected by ~~said the~~ marker detection ~~step means~~; and

[[a]] mixed reality space image generation ~~step of means for~~ generating a mixed reality space image to be observed by the player, so the player observes virtual object images that do not include any images of the markers in ~~marker~~ surrounding regions (marker regions) including the markers ~~from in~~ in the image data,

wherein ~~said the~~ mixed reality space image generation ~~step means~~ includes means for substituting or overlaying images of the marker regions by predetermined virtual object images.

19. (Currently Amended) A computer readable storage medium that stores a program which can be executed by a computer, said program making the computer which executes the program function as perform the steps of:

a mixed reality apparatus for making a player experience mixed reality by making the player observe a mixed reality space image obtained by mixing a real space in which markers serving as position indices are laid out, and a virtual space, comprising:

[[a]] marker detection ~~step of~~ means for detecting the markers ~~serving as position indices~~ from image data obtained by sensing [[a]] the real space from a substantially viewpoint position of [[a]] the player;

[[a]] correcting ~~step for~~ means correcting location/~~posture~~ orientation information of the player based on the markers detected by ~~said the~~ marker detection ~~step~~ means; and

[[a]] mixed reality space image generation ~~step of~~ means for generating a mixed reality space image to be observed by the player, so the player observes virtual object images that do not include any images of the markers in ~~marker~~ surrounding regions (marker regions) including the markers ~~from in~~ the image data,

wherein ~~said the~~ mixed reality space image generation ~~step~~ means includes means for substituting or overlaying an image of a region including all the markers in the image data by a predetermined virtual object ~~images~~ image.

20. (Currently Amended) A mixed reality apparatus for providing a mixed reality space shared by a plurality of players, comprising:

an input unit adapted to input a real space image representing the real space;

a marker detecting unit adapted to extract pixels having a color that is predefined as a marker from the real space image, perform a labeling process to detect marker regions, and detect positions of markers ~~[[in]]~~ from the marker regions;

a head location/~~posture~~ orientation estimation unit to estimate a location/~~posture~~ orientation of a viewpoint of a ~~given~~ player by using the detected marker positions;

a mixed reality space image generation unit adapted to generate a virtual space image to be observed by the ~~given~~ player based on the location/~~posture~~ orientation of the viewpoint of the ~~given~~ player and model information; and

an image combining unit adapted to generate a mixed reality space image by combining the real space image with the virtual space image,

wherein the markers are laid out in the real space so that the markers to be used by only the given player are laid out at positions hidden by real objects when the markers are observed from the other player.

21. (Currently Amended) A method for providing a mixed reality space shared by a plurality of players, comprising:

an input step of inputting a real space image representing the real space;

a marker detecting step of extracting pixels having a color that is predefined as a marker from the real space image, performing a labeling process to detect marker regions, and detecting positions of markers ~~[[in]]~~ from the marker regions;

a head location/~~posture~~ orientation estimation step of estimating a location/~~posture~~ orientation of a viewpoint of a player by using the detected marker positions;

a mixed reality space image generation step of generating a virtual space image to be observed by the player based on the location/~~posture~~ orientation of the viewpoint of the player and model information; and

an image combining step of generating a mixed reality space image by combining the real space image with the virtual space image,

wherein the markers are laid out in the real space so that the markers to be used by only a given player are laid out at positions hidden by real objects when the markers are observed from the other player.

22. (New) A mixed reality apparatus having an image generating unit adapted to generate a virtual space image corresponding to a viewpoint position and orientation of a player, an input unit adapted to input a real space image obtained by sensing from a substantially viewpoint position of the player and an image combining unit adapted to generate a mixed reality space image by combining the real space image with the virtual space image, comprising:

a marker detection unit adapted to detect marker regions for the real space image input from said input unit and obtained by sensing the real space in which markers serving as position indices are laid out;

a correction unit adapted to correct location/orientation information of the player based on the marker regions detected by said marker detection unit;

a location/orientation estimation unit adapted to estimate a location/orientation of a viewpoint of a given player using the detected marker regions;

a storing unit adapted to store a real space image obtained by sensing the real space before the markers are laid out as a texture image; and

a replacing unit adapted to replace said marker regions in the real space image with corresponding regions in said texture image or superimpose said corresponding regions in said texture image on said marker regions in the real space image.

23. (New) A mixed reality image generating method including an image generating step of generating a virtual image corresponding to a viewpoint position and orientation of a player, an input step of inputting a real space image obtained by sensing from a substantially viewpoint position of the player and an image combining step of generating a mixed reality space image by combining the real space image with the virtual space image, comprising:

a marker detection step of detecting marker regions for the real space image obtained by sensing the real space in which markers serving as position indices are laid out;

a correction step of correcting location/orientation information of the player based on the marker regions detected by said marker detection step;

a storing step of storing a real space image obtained by sensing the real space before the markers are laid out as a texture image; and

a replacing step of replacing said marker regions in the real space image with corresponding regions in said texture or superimposing said corresponding regions in said texture image on said marker regions in the real space image.

24. (New) The mixed reality generating method according to claim 23, wherein the same texture image is used for replace or superimpose the marker regions corresponding to markers laid out on real objects made of an identical material.

25. (New) The mixed reality image generating method according to claim 23 further comprising:

a location/orientation estimation step of estimating a location/orientation of a viewpoint of the player using the detected marker regions, the location information of the detected markers and output signal from a position/orientation sensor mounted on the player's head.

26. (New) A computer-readable storage medium that stores program code for controlling an apparatus to perform a mixed reality generating method, wherein the generating method includes an image generating step of generating a virtual image corresponding to a viewpoint position and orientation of a player, an input step of inputting a real space image obtained by sensing from substantially a viewpoint position of the player and an image combining step of generating a mixed reality space image by combining the real space image with the virtual space image, said storage medium comprising program code for controlling the apparatus to perform:

a marker detection step of detecting marker regions for the real space image obtained by sensing the real space in which markers serving as position indices are laid out;

a correction step of correcting location/orientation information of the player based on the marker regions detected by said marker detection step;



a storing step of storing a real space image obtained by sensing the real space before the markers are laid out as a texture image; and

a replacing step of replacing said marker regions in the real space image with corresponding regions in said texture or superimposing said corresponding regions in said texture image on said marker regions in the real space image.